

No.

9000040



# THE UNITED STATES OF AMERICA

**TO ALL TO WHOM THESE PRESENTS SHALL COME;  
Iowa Agriculture and Home Economics  
Experiment Station**

**Whereas, THERE HAS BEEN PRESENTED TO THE**

**Secretary of Agriculture**

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *eighteen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. THE UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS PROVIDED BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'Marcus'

*In Testimony Whereof, I have hereunto set  
my hand and caused the seal of the Plant  
Variety Protection Office to be affixed  
at the City of Washington, D.C.  
this 31st day of March in  
the year of our Lord one thousand nine  
hundred and ninety-two.*

*Attest:*

*Kenneth H. H. H.*  
Commissioner  
Plant Variety Protection Office  
Agricultural Marketing Service

*Edward Madison*  
Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE

FORM APPROVED: OMB NO. 0581-0055

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

## APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)



1. NAME OF APPLICANT(S) Iowa Agriculture and Home Economics Experiment Station		2. TEMPORARY DESIGNATION A85-193023	3. VARIETY NAME Marcus
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code) 104 Curtiss Iowa State University Ames, IA 50011		5. PHONE (Include area code) 515-294-4762	FOR OFFICIAL USE ONLY PVPO NUMBER 9000040
6. GENUS AND SPECIES NAME Glycine max.	7. FAMILY NAME (Botanical) Leguminosae		FILING DATE Jan. 9, 1990 TIME 9:45 <input checked="" type="checkbox"/> A.M. <input type="checkbox"/> P.M.
8. KIND NAME Soybean	9. DATE OF DETERMINATION August 15, 1989		FEES RECEIVED AMOUNT FOR FILING \$1800.00 - 350.00 DATE Dec. 4, 1989, Dec. 11, 1989 AMOUNT FOR CERTIFICATE \$250.00 DATE March 16, 1992
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) Iowa State Agriculture & Home Economics Experiment Station			12. DATE OF INCORPORATION
11. IF INCORPORATED, GIVE STATE OF INCORPORATION			
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS			

PHONE (Include area code):

14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED			
a. <input checked="" type="checkbox"/> Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.)			
b. <input checked="" type="checkbox"/> Exhibit B, Novelty Statement.			
c. <input checked="" type="checkbox"/> Exhibit C, Objective Description of Variety (Request form from Plant Variety Protection Office.)			
d. <input type="checkbox"/> Exhibit D, Additional Description of Variety.			
e. <input checked="" type="checkbox"/> Exhibit E, Statement of the Basis of Applicant's Ownership.			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act.) <input checked="" type="checkbox"/> Yes (If "Yes," answer items 16 and 17 below) <input type="checkbox"/> No			
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? <input checked="" type="checkbox"/> Foundation <input checked="" type="checkbox"/> Registered <input checked="" type="checkbox"/> Certified	
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.?			
<input type="checkbox"/> Yes (If "Yes," give date)			
<input checked="" type="checkbox"/> No			
19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE, OR MARKETING IN THE U.S. OR OTHER COUNTRIES?			
The variety was formally released on August 15, 1989. Sale of seed to commercial seed growers will not occur until 1990 in the United States. The variety was not released in any other country. <input checked="" type="checkbox"/> Yes (If "Yes," give names of countries and dates) <input type="checkbox"/> No			
20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.			

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT 	DATE Nov. 13, 1989
SIGNATURE OF APPLICANT 	DATE 11-27-89

## Exhibit A

Development of the Cultivar 'Marcus' by the Multiple-seed  
Procedure of Single-seed Descent

Year	Activity
May 1982	The cross of A79-135010 X Asgrow 'A1937' was made at Iowa State Univeresity, Ames, IA. The population was designated AX2804.
Oct. 1982	F <sub>1</sub> plants of AX2804 were grown in the field at the Iowa State University-University of Puerto Rico nursery at Isabela Puerto Rico, to obtain F <sub>2</sub> seeds.
Feb. 1983	F <sub>2</sub> plants of AX2804 were grown in Puerto Rico, under natural day length conditions. Three F <sub>3</sub> seeds from each plant in the population AX2804 were bulked.
May 1983	F <sub>3</sub> plants of AX2804 were grown in the field at Ames. F <sub>3</sub> plants were classified as early, mid-season, or late maturity and were threshed individually.
May 1984	F <sub>3:4</sub> lines of AX2804 were evaluated in two replications of single-hill plots spaced 1 by 1 m at each of two Iowa locations. About 50% of the lines with the best visual agronomic characteristics were harvested for seed yield.
May 1985	Selected F <sub>3:5</sub> lines of AX2804 were grown in two replications of two-row plots at three Iowa locations. The line that became Marcus was designated A85-193023.
May 1986	a. A85-193023 was evaluated for seed yield and other characters in the Uniform Soybean Tests. b. Purification of the line was initiated at Ames. Individual F <sub>6</sub> plants with uniform plant and seed traits were harvested from the line and threshed individually.
May 1987	a. A85-193023 was evaluated in Iowa and other states in the Uniform Soybean Tests. b. Progeny rows from individual plants of A85-193023 were grown at Ames. Progeny rows with uniform characteristics were harvested separately.
May 1988	a. A85-193023 was evaluated in Iowa and other states in the Uniform Soybean Tests. b. Progeny rows harvested in 1987 were used

to plant about 6 acres for breeder seed production. The progeny increases were examined for homogeneity during the growing season and the increases with uniform characteristics were harvested together. The seed was distributed to the Iowa foundation seed organization.

May 1989

The breeder seed was planted in Iowa to obtain foundation seed.

Aug. 15,  
1989

The line was officially released as the cultivar 'Marcus'.



# Iowa Crop Improvement Association

2023 Agronomy Hall

Ames, Iowa 50011

Area Code 515-294-6921

Iowa  
a place to grow

February 18, 1992

Dr. Jeffrey L. Strachan  
Plant Variety Examiner  
National Agricultural Library  
Rm. 500, 10301 Baltimore Blvd.  
Beltsville, Maryland 20705

RE: Soybean Application No. 9000040, MARCUS

Dear Dr. Strachan:

This letter is to verify the stability of MARCUS in support of the application for Plant Variety Protection.

In 1988, breeder seed of MARCUS was produced, and foundation seed was produced in 1989, 1990 and 1991. Field inspection reports completed by the Iowa Crop Improvement Association inspector and seed laboratory reports of each of these four years indicate the following:

YEAR	INSPECTION					
	Field		Description	Seed Lot		Description
	No.	% off-type		No.	% off-type	
1988	1	0.00		81Br	0.00	
1989	19	0.00		91	0.07	Yel hilum
	20	0.00				
	21	0.00				
	22	0.00				
	28	0.00				
1990	21	0.00		01	0.00	
1991	20	0.00		10	0.00	

The above data indicates the variety is stable and uniform.

Sincerely,

Robert E. Lawson  
Secretary-Treasurer

## Exhibit B, Novelty Statement

Marcus is most similar to 'Hardin'. The two varieties are similar in the following traits:

Seed protein and oil content  
Susceptibility to Fe-deficiency chlorosis on calcareous soil  
Shattering resistance  
Seed coat luster

Marcus differs from Hardin in the following traits:

<u>Marcus</u>	<u>Hardin</u>
White flowers	Purple flowers
Tawny pubescence	Grey pubescence
Tan pods at maturity	Brown pods at maturity
Brown hila	Yellow hila

U.S. DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 LIVESTOCK, MEAT, GRAIN & SEED DIVISION  
 PLANT VARIETY PROTECTION OFFICE  
 BELTSVILLE, MARYLAND 20705

EXHIBIT C  
 (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY  
 SOYBEAN (*Glycine max* L.)

NAME OF APPLICANT(S) Iowa Agriculture and Home Economics Experiment Station	TEMPORARY DESIGNATION A85-193023	VARIETY NAME Marcus
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) 104 Curtiss Iowa State University Ames, IA 50011		FOR OFFICIAL USE ONLY PVPO NUMBER 9000040

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g.,  ). Starred characters ★ are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available.

## 1. SEED SHAPE:



1 = Spherical (L/W, L/T, and T/W ratios = &lt; 1.2)

3 = Elongate (L/T ratio &gt; 1.2; T/W = &lt; 1.2)

2 = Spherical Flattened (L/W ratio &gt; 1.2; L/T ratio = &lt; 1.2)

4 = Elongate Flattened (L/T ratio &gt; 1.2; T/W &gt; 1.2)

## ★ 2. SEED COAT COLOR: (Mature Seed)

1 = Yellow

2 = Green

3 = Brown

4 = Black

5 = Other (Specify) \_\_\_\_\_

## 3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

1 = Dull ('Corsoy 79'; 'Braxton')

2 = Shiny ('Nebsoy'; 'Gasoy 17')

## ★ 4. SEED SIZE: (Mature Seed)

Grams per 100 seeds

## ★ 5. HILUM COLOR: (Mature Seed)

1 = Buff

2 = Yellow

3 = Brown

4 = Gray

5 = Imperfect Black

6 = Black

7 = Other (Specify) \_\_\_\_\_

## ★ 6. COTYLEDON COLOR: (Mature Seed)

1 = Yellow

2 = Green

## ★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:

1 = Low

2 = High

## ★ 8. SEED PROTEIN ELECTROPHORETIC BAND:

1 = Type A (SP1<sup>a</sup>)2 = Type B (SP1<sup>b</sup>)

## ★ 9. HYPOCOTYL COLOR:

1 = Green only ('Evans'; 'Davis')

2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')

3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')

4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

## ★ 10. LEAFLET SHAPE:

1 = Lanceolate

2 = Oval

3 = Ovate

4 = Other (Specify) \_\_\_\_\_

## 11. LEAFLET SIZE:

☐ 21 = Small ('Amsoy 71'; 'A5312')  
3 = Large ('Crawford'; 'Tracy')

2 = Medium ('Corsoy 79'; 'Gasoy 17')

## 12. LEAF COLOR:

☐ 21 = Light Green ('Weber'; 'York')  
3 = Dark Green ('Gnome'; 'Tracy')

2 = Medium Green ('Corsoy 79'; 'Braxton')

## ★ 13. FLOWER COLOR:

☐ 1

1 = White

2 = Purple

3 = White with purple throat

## ★ 14. POD COLOR:

☐ 2

1 = Tan

2 = Brown

3 = Black

## ★ 15. PLANT PUBESCENCE COLOR:

☐ 2

1 = Gray

2 = Brown (Tawny)

## 16. PLANT TYPES:

☐ 21 = Slender ('Essex'; 'Amsoy 71')  
3 = Bushy ('Gnome'; 'Govan')

2 = Intermediate ('Amarcor'; 'Braxton')

## ★ 17. PLANT HABIT:

☐ 3

1 = Determinate ('Gnome'; 'Braxton')

2 = Semi-Determinate ('Will')

3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

## ★ 18. MATURITY GROUP:

☐ 0 ☐ 41 = 000  
9 = VI

2 = 00

10 = VII

3 = 0

11 = VIII

4 = I

12 = IX

5 = II

13 = X

6 = III

7 = IV

8 = V

## ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

## BACTERIAL DISEASES:

★

☐ 0Bacterial Pustule (*Xanthomonas phaseoli* var. *sojensis*)

★

☐ 0Bacterial Blight (*Pseudomonas glycinea*)

★

☐ 0Wildfire (*Pseudomonas tabaci*)

## FUNGAL DISEASES:

★

☐ 0Brown Spot (*Septoria glycines*)Frogeye Leaf Spot (*Cercospora sojina*)

★

☐ 0

Race 1

☐ 0

Race 2

☐ 0

Race 3

☐ 0

Race 4

☐ 0


Race 5

☐ 0

Other (Specify)

☐ 0Target Spot (*Corynespora cassiicola*)☐ 0Downy Mildew (*Peronospora trifoliorum* var. *manshurica*)☐ 0Powdery Mildew (*Microsphaera diffusa*)

★

☐ 1Brown Stem Rot (*Cephalosporium gregatum*)☐ 0Stem Canker (*Diaporthe phaseolorum* var. *caulivora*)



## 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

## FUNGAL DISEASES: (Continued)

- ★ ☐ 1 Pod and Stem Blight (*Diaporthe phaseolorum* var. *sojae*)
- ☐ 1 Purple Seed Stain (*Cercospora kikuchii*)
- ☐ 0 Rhizoctonia Root Rot (*Rhizoctonia solani*)
- Phytophthora Rot (*Phytophthora megasperma* var. *sojae*)
- ★ ☐ 1 Race 1 ☐ 0 Race 2 ☐ 0 Race 3 ☐ 1 Race 4 ☐ 0 Race 5 ☐ 0 Race 6 ☐ 1 Race 7
- ☐ 0 Race 8 ☐ 0 Race 9 ☐ Other (Specify) \_\_\_\_\_

## VIRAL DISEASES:

- ☐ 0 Bud Blight (Tobacco Ringspot Virus)
- ☐ 0 Yellow Mosaic (Bean Yellow Mosaic Virus)
- ★ ☐ 0 Cowpea Mosaic (Cowpea Chlorotic Virus)
- ☐ 0 Pod Mottle (Bean Pod Mottle Virus)
- ★ ☐ 1 Seed Mottle (Soybean Mosaic Virus)

## NEMATODE DISEASES:

- Soybean Cyst Nematode (*Heterodera glycines*)
- ★ ☐ 0 Race 1 ☐ 0 Race 2 ☐ 0 Race 3 ☐ 0 Race 4 ☐ 0 Other (Specify) \_\_\_\_\_
- ☐ 0 Lance Nematode (*Hoplolaimus Colombus*)
- ★ ☐ 0 Southern Root Knot Nematode (*Meloidogyne incognita*)
- ★ ☐ 0 Northern Root Knot Nematode (*Meloidogyne Hapla*)
- ☐ 0 Peanut Root Knot Nematode (*Meloidogyne arenaria*)
- ☐ 0 Reniform Nematode (*Rotylenchulus reniformis*)
- ☐ 0 OTHER DISEASE NOT ON FORM (Specify): \_\_\_\_\_

## 20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ★ ☐ 1 Iron Chlorosis on Calcareous Soil
- ☐ Other (Specify) \_\_\_\_\_

## 21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ☐ 0 Mexican Bean Beetle (*Epilachna varivestis*)
- ☐ 0 Potato Leaf Hopper (*Empoasca fabae*)
- ☐ Other (Specify) \_\_\_\_\_

## 22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.


CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	Hardin	Seed Coat Luster	Hardin
Leaf Shape	Hardin	Seed Size	Hardin
Leaf Color	Hardin	Seed Shape	Hardin
Leaf Size	Hardin	Seedling Pigmentation	Elgin 87
			8

## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/POD
				CM Width	CM Length	% Protein	% Oil		
Submitted Marcus	128	1.8	81	8	12	39.8	21.5	15.6	3
Hardin Name of Similar Variety	125	2.2	94	7	9	39.6	21.6	14.4	3

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBT1-A<sub>2</sub> in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



9000040

Exhibit E, Statement of the Basis of Applicant's Ownership

Marcus was developed and is owned by the Iowa Agriculture and Home Economics Experiment Station, Ames, Iowa.